

## PDU Technology Specification

Date: 27/10/2024

NO:

<b>Customer</b>			
<b>Product Name</b>	Designated Power Distribution Unit for Cabinet	<b>Customer's code</b>	
<b>Part Number</b>	SY-PDU19-1U6C19CBS4S2MP32ACMAB	<b>Picture code</b>	
<b>No.</b>	<b>Item</b>	<b>Detailed Description</b>	
1	Product Series	1U Horizontal PDU	
2	Socket Type	IEC C19 type socket	
3	Output Unit	Commando 32A plug	
4	Power Input	IEC C19 socket	
5	Bracket Install	Horizontal install	
6	Cable with plug	3G 4mm <sup>2</sup> 2 meters cable with Commando 32A plug	
7	Control Function		
8	Protection Function	1P Circuit Breaker	
9	Shell Color	Black	
10	Cable Specification	3G 4mm <sup>2</sup> 2 meters	
11	Product Size	L×W×H=482.6×45×45mm	
12	Mounting Length	461.3mm	
13	Case Length	431mm	
14	Fittings	Two φ6×16mm cross bolt 、 two M6 fluctuation nut、 PDU instruction handbook (choice)	
15	Product Label	Product Name	Designated Power Distribution Unit for Cabinet
		Specification Model	SY-PDU19-1U6C19CBS4S2MP32ACMAB
		Rating voltage	250VAC 50/60Hz
		Rating Current	32A
		Max. Current	32A
		Max. Power	8000W
		Safety Authentication	
		Logo	
		Producer	
<b>No.</b>	<b>Add-In</b>		
1	Socket assemble	IEC C19 socket	
2	Interior Connection Wire	Copper Bar	
3	Interior Connection Style		
4	Fix the Cable	Screw fix without spot	
5	Module Assemble (From left to right )	1P circuit breaker, IEC C19 socket	
6	Others		
<b>Made by: Jack</b>		<b>Customer confirm:</b>	<b>Check: Eric</b> <b>Authorize: Mark</b>

This technology specification is for: design product for customer and confirm customer's requirements, and is also the basic gist for arranging production.